



# turello

## EXTRUSION PRESS FOR VESSELS TYPE S, F, SW AND FS





## EXTRUSION PRESS FOR VESSELS TYPE SW

### BASE VERSION

- Hydraulic operation
- Vessel lifting system
- Working height of 1000 mm
- No foundation hole required
- Vessel extrusion at the outlet connection
- Hydraulic power pack installed on the upper frame
- Safety guards corresponding to current safety regulations

### OPTIONS

- Explosion-proof version
- Possibility of connecting a volumetric dosing unit





## EXTRUSION PRESS FOR VESSELS TYPE F

### BASE VERSION

- Hydraulic operation
- Working height of 1000 mm
- Vessel positioning by means of a fork truck
- Vessel extrusion at the outlet connection
- Hydraulic power pack installed on the upper frame
- Safety guards corresponding to current safety regulations

### OPTIONS

- Explosion-proof version
- Possibility of connecting a volumetric dosing unit





## EXTRUSION PRESS FOR VESSELS TYPE S

### BASE VERSION

- Hydraulic operation
- Vessel lifting system
- Working height of 1000 mm
- Foundation hole required
- Vessel extrusion at the outlet connection
- Hydraulic power pack installed on the upper frame
- Safety guards corresponding to current safety regulations

### OPTIONS

- Explosion-proof version
- Hydraulic locking pins
- Possibility of connecting a volumetric dosing unit

## EXTRUSION PRESS FOR VESSELS TYPE FS

### BASE VERSION

- Hydraulic operation
- Working height at floor level
- No foundation hole required
- Vessel extrusion with flexible hose
- Hydraulic power pack installed on the upper frame
- Safety guards corresponding to current safety regulations

### OPTIONS

- Explosion-proof version
- Possibility of connecting a volumetric dosing unit