



turello®

EXTRUSION PRESS FOR VESSELS
TYPE S, F, SW AND FS

CE



MIXING

FILLING

PACKAGING

we do it



EXTRUSION PRESS FOR VESSELS TYPE SW

BASE VERSION

- Hydraulic operation
- Vessel lifting system
- Working height of 1000 mm
- No foundation hole required
- Vessel extrusion at the outlet connection
- Hydraulic power pack installed on the upper frame
- Safety guards corresponding to current safety regulations

OPTIONS

- Explosion-proof version
- Possibility of connecting a volumetric dosing unit






EXTRUSION PRESS FOR VESSELS TYPE F

BASE VERSION

- Hydraulic operation
- Working height of 1000 mm
- Vessel positioning by means of a fork truck
- Vessel extrusion at the outlet connection
- Hydraulic power pack installed on the upper frame
- Safety guards corresponding to current safety regulations

OPTIONS

- Explosion-proof version
- Hydraulic power unit installed on the ground
- Option to use tanks of two different diameters
- Possibility of connecting a volumetric dosing unit



EXTRUSION PRESS FOR VESSELS TYPE S

BASE VERSION

- Hydraulic operation
- Vessel lifting system
- Working height of 1000 mm
- Foundation hole required
- Vessel extrusion at the outlet connection
- Hydraulic power pack installed on the upper frame
- Safety guards corresponding to current safety regulations

OPTIONS

- Explosion-proof version
- Hydraulic locking pins
- Possibility of connecting a volumetric dosing unit
- Hydraulic power unit installed on the ground
- Option to use tanks of two different diameters

EXTRUSION PRESS FOR VESSELS TYPE FS

BASE VERSION

- Hydraulic operation
- Working height at floor level
- No foundation hole required
- Vessel extrusion with flexible hose
- Hydraulic power pack installed on the upper frame
- Safety guards corresponding to current safety regulations

OPTIONS

- Explosion-proof version
- Possibility of connecting a volumetric dosing unit